



ORDERING INFORMATION:

- 0 GRAY ELASTOMER
 - 1 GRAY ELASTOMER WITH SYN-PROOF COATING
 - 4 BLACK ELASTOMER WITH SYN-PROOF COATING
 - 5 BLACK ELASTOMER
- OPTIONAL CABLE LENGTH DIMENSION IN 0.5 FOOT INCREMENTS
 BLANK [] INDICATES, NO CABLE
- OPTION MSOF MICROSOFT SERIAL MOUSE
- P PS/2 INTERFACE (6 PIN MINI DIN CONNECTOR, 9.5 FT. DEFAULT LENGTH)
 - T "AT" INTERFACE (5 PIN CIRCULAR DIN CONNECTOR, 6.0 FT. DEFAULT LENGTH)
 - U USB INTERFACE (9.5 FT. DEFAULT LENGTH)
 - 1 "AT" KEYBOARD INTERFACE AND SERIAL MOUSE (5 PIN CIRCULAR DIN & D9F CONNECTOR, 6.0 FT. DEFAULT LENGTH)

CTI ELECTRONICS CORPORATION 110 Old South Ave., Stratford, CT 06615 - Tel 203 / 386-9779 - Fax 203 / 378-4986 - www.ctielectronics.com	
TITLE: OEM KEYBOARD MODEL KIA98XX WITH ARROWMOUSE	
REV. cDATE: 01-25-06	B 761753
APPROVED: SJS / VI	1 OF 3



CTI ELECTRONICS CORPORATION		110 Old South Ave., Stratford, CT 06615 - Tel 203 / 386-9779 - Fax 203 / 378-4986 - www.ctielelectronics.com	
TITLE:		OEM KEYBOARD MODEL KIA98XX WITH ARROWMOUSE TM	
REV.	DATE:	01-25-06	
APPROVED:	DRAWN:	SJS / VI	
		B 761753	
		3 OF 3	



MOUNTING DETAIL

NOTES:

1. DEBURR ALL EDGES
2. USE #4 STAINLESS HARDWARE FOR MOUNTING.
3. TAKE 'ESD' PRECAUTIONS DURING INSTALLATION AS ELECTRONIC COMPONENTS ARE EXPOSED.

CTI ELECTRONICS CORPORATION	
110 Old South Ave., Stratford, CT 06615 - Tel 203 / 386-9779 - Fax 203 / 378-4986 - www.ctielectronics.com	
TITLE: OEM KEYBOARD MODEL KIA98XX WITH ARROWMOUSE TM	
REV. DATE: 01-25-06	B 761753 2 OF 3
APPROVED: DRAWN: SJS / VI	